

Accompanying Technical Documentation	CE	Declaration of Performance DoP n. XXF030
---	-----------	---

1. Unique identification code of the product -type:

XXF030	VAPORFOIL 030
---------------	----------------------

2. Intended uses:

Harmonised technical spec.	Intended uses
EN 13984	Water Vapor control Layer – Type A
EN 13967	Damp proof sheet – Type A

3. Name of manufacturer: IMPER ITALIA S.r.l. – Via Rita Atria 9, 10079 MAPPANO (TO) – Italy

4. Authorised Representative: n.a.

5. Systems of assessment and verification of constancy of performance of the construction product:

Harmonised technical spec	Systems of assessment and verification of constancy of performance of the product:
EN 13984	AVCP 3
EN 13967	AVCP 3

6a. This DOP is for construction products falling within the scope of the following harmonized standards:

Harmonised technical spec	
EN 13984	The notified laboratory ID. 0987 carried out initial tests of type (on sampling carried out by the manufacturer)
EN 13967	The notified Organism ID. 1370 has issued the certificate of Conformity of the factory production control

6b. European technical assessment: n.a.

Accompanying Technical Documentation	CE	Declaration of Performance DoP n. XXF030
---	-----------	---

7. Declared performances:

Essential characteristics	Method EN	U.M.	Performances	Note	Harmonised technical spec.
Nominal thickness	1849-2	mm	0.30	-	EN 13984 EN 13967
Reaction to fire	11925-2	Euroclasse	F	(as per EN 13501-1)	
Watertightness (60 kPa)	1928/A	-	Pass	-	
Tear resistance L/T	12310-1	N	≥ 60 / 60	limit value	
Tensile strenght L/T	12311-2B	N/mm ²	≥ 15 / 14	limit value	
Elongation at break L/T	12311-2B	%	≥ 450 / 500	limit value	
Resistance to static loading	12730/B	Kg	≥ 10	limit value	
Permeability to water vapour (μ)	1931	-	240.000	± 70.000	
Durability					
- Watertightness after artificial aging (70 ° C / 84 days)	1296-1928/A	-	Pass	-	
- Watertightness 2 kPa after chemical exposure ("milk of lime" 23 ° C / 28 days)	1847-1928/A	-	Pass	-	
Dangerous substances	The product does not intentionally contain flame retardants, resins, glues and SVHC substances referred to in the most recent Candidate List published on the ECHA website				

8. Appropriate technical documentation and/or specific technical documentation: ATD01-SHEIF

Mappano, 21/11/2025

Legale rappresentante



Sede Operativa - Stabilimento di Mappano

Via Rita Atria, 9 - 10079 Mappano (TO) Italia
Tel (+39) 011 222.54.99 - Fax (+39) 011 262.51.87
commercialeitalia@imper.it

Stabilimento di Marano Ticino

Via Sempione, 8 - 28040 Marano Ticino (NO) Italia
Tel (+39) 0321 970.16/17 - Fax (+39) 0321 97.226
marano@imper.it

Export Department

Via Rita Atria, 9 - 10079 Mappano (TO) Italia
Tel (+39) 011 222.55.12 - Fax (+39) 011 262.16.21
export@imper.it